

# 天津凯硕伟业钢铁有限公司

## TIANJIN KAISHUOWEIYE STEEL CO.,LTD



TEL: After-sales: +86 178 0224 2222

Cooperation and operation: +86 183 2213 1313


Mail: admin@kswysteel.com

Website: <https://kswysteel.com/>

<https://tjksysteel.en.made-in-china.com/>


Address: Room 1003, Building 2, Beichen Building,

Beichen District, Tianjin, China



COMPANY PROFILE  
企业简介

- 1) GOOD QUALITY CONTROL
- 2) HIGHLY COMPETITIVE PRICES
- 3) STATE-OF-ART TECHNOLOGY PRODUCTS
- 4) SMOOTH COMMUNICATION
- 5) EFFECTIVE OEM&ODM SERVICE



*Don't be afraid of wind and rain, keep moving forward*





## COMPANY PROFILE

### Tianjin Kaishuoweiyue Steel CO.,Ltd

The main plant of Tianjin Kaishuoweiyue Steel CO.,Ltd was established in 2000 and is a large-scale steel material enterprise. The company is located in Tianjin, a beautiful coastal city which is the economic center of Bohai Sea.

The company's main business: various types of steel coil, steel plate, color coated steel coil, angle steel, channel-steel, I-beam, H-beam, cold-rolled steel plate, square tube, seamless steel tube, stainless steel tube, steel bar, galvanized steel sheet, galvanized steel coils and various profiles can meet the needs of customers in different industries for special specifications of various steels, and provide comprehensive solutions for non-ferrous metal products.

With many years of experience in the steel industry, the company has a strong ability to control the market. According to the market demand, the company can adjust the inventory in a timely manner. The annual inventory is more than 10,000 tons, which can guarantee to meet the market demand. The sales network has spread all over the country and abroad, exporting to South America, Africa, Europe, the Middle East, Southeast Asia and more than 90 countries. Widely praised in the international market, and the export volume has always maintained a leading position in China.

The company has a perfect quality management system, and has the market advantages of full inventory and fast delivery.

## Our advantage



1. The factory area of Tianjin Kaishuoweiyue covers an area of about 70,000 square meters, and has processing equipment such as large shearing machine, circular shearing machine, straightening machine, annealing furnace, punching and shearing production line

2. The annual inventory is more than 10,000 tons, which can guarantee to meet the needs of market customers. The sales network has spread all over the world. We have exported more than 100 countries like USA, Mexico, Canada, Spain, Russia, Singapore, Thailand, India etc


3. The quality of our products has been certified by ISO9001, SGS, JIS, BV, etc., and each product has a product inspection report to support customer inspection.

4. Sufficient inventory, now orders can be shipped directly, 7\*24 hours online service, professional sales and after-sales service team, to solve various problems for you.

5. We have a strict quality control system, which can be customized according to your size. The price is low and the quality is high. Send us an inquiry now to get more discounts.







## Stainless Steel Plate/Sheet 不锈钢板

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** automobile used, kitchen equipment, electrical appliances, steel pipe use building materials, chemical equipment, transportation equipment, etc

**Material:** 201/304/304L/321/316/316L/309/309S/310S/904L

**Processing process:** stamping, laser cutting, surface treatment, strip separation, punching

**Product surface:** NO. 1, 2B, mirror surface, oil grinding, drawing and polished

**Thickness:** 0.3 - 100 mm or as your request

**Width:** 10 - 2,000 mm or as your request

**Minimum order/quantity:** 5 Ton

## Stainless Steel Coil 不锈钢卷

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** automobile used, kitchen equipment, electrical appliances, steel pipe used, building materials, chemical equipment, transportation equipment, etc

**Material:** 304/201/202/430/410/630/316/316L/304



**Processing process:** stamping, laser cutting, surface treatment, strip separation, punching

**Product surface:** No.1, 2B, mirror surface, oil grinding, drawing and polished

**Thickness:** 0.3 - 16 mm or as your request

**Width:** 10 - 2,000 mm or as your request

**Minimum order quantity:** 5 Ton



## Stainless Steel Strip 不锈钢带

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** automobile used, kitchen equipment, electrical appliances, steel pipe use, building materials, chemical equipment, transportation equipment, etc

**Material:** 201/304/304L/321/316/316L/309/309S/310S/904L

**Processing process:** stamping, laser cutting, surface treatment, strip separation, punching

**Product surface:** No.1, 2B, mirror surface, oil grinding, drawing and polished

**Thickness:** 0.01mm-30mm or as your request

**width:** 2-3500mm or as your request

**Minimum order quantity:** 5 Ton

## Stainless Steel Flat Bar 不锈钢扁钢

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** It is widely used in various building structures and engineering structures, such as beams, bridges, lifting and transporting machinery, ships, container racks and warehouse racks

**Material:** 201/304/304L/321/316/316L/309/309S/310S/904L


**Processing process:** stamping, laser cutting, surface treatment

**punching Product surface:** NO.1, 2B, mirror surface, oil grinding, drawing and polished

**Thickness:** 0.3 - 200mm or as your request

**Width:** 1 - 2500mm or as your request

**Minimum order/quantity:** 5 Ton







## Stainless Steel Bar/Rod 不锈钢棒

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** hardware and kitchenware, shipbuilding, petrochemical, machinery, medicine, food, electricity, energy, aerospace, etc

**Material:** 200/300/400/500/600/900 series etc

**Processing process:** cutting, surface treatment, machining, punching

**Product surface:** industrial surface, brushed surface, bright surface, polished

**Specification:** 5.5 - 250 mm or as your request

**Length:** 0.2 - 8 m or as your request

**Minimum order quantity:** 5 Ton

## Stainless Steel Pipe/Tube 不锈钢管

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Category:** hot rolled seamless pipe, cold pull seamless pipe, cold rolled seamless pipe, welding pipe, spiral pipe

**Application:** petroleum, chemical, medical, foodlight industry, mechanical instruments and other industrial transport pipelines and mechanical structure

**Material:** 200/300/400/500/600/900 series etc

**Processing process:** cutting, surface treatment, machining, punching

**Product surface:** industrial surface, brushed surface, bright surface, polished

**Specification:** 0.1 - 4,500 mm or as your request

**Wall thickness range:** 0.01 - 250 mm or as your request

**Minimum order quantity:** 5 Ton



## Stainless Steel Angle Bar 不锈钢角钢

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** it is widely used in various building structures and engineering structures, such as beams, bridges lifting and transporting machinery, ships, container racks and warehouse racks

**Material:** 200/300/400/500/600/900 series etc

**Processing process:** cutting, surface treatment, machining, punching

**Product surface:** industrial surface, brushed surface, bright surface, polished

**Specification:** 0.5mm x 4mm x 4mm - 20mm x 400mm x 400mm or as your request

**Minimum order quantity:** 5 Ton

## Stainless Steel Channel Bar 不锈钢槽钢

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** it is widely used in various building structures and engineering structures, such as beams, bridges lifting and transporting machinery, ships, container racks and warehouse racks

**Material:** 200/300/400/500/600/900 series etc



**Processing process:** cutting, surface treatment, machining, punching

**Product surface:** industrial surface, brushed surface, bright surface, polished


**Thickness:** 2 - 12.5mm or as your request

**Size:** 50 x 25 - 400 x 110mm or as your request

**Minimum order quantity:** 5 Ton







## Carbon Steel Plate/Sheet 碳钢板

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Category:** ordinary carbon structural plate, alloy plate, excellent carbon plate, low alloy plate, ship plate, bridge plate, boiler plate container plate, etc

**Applications:** cold forming steel, structural steel, automotive structural steel, corrosion resistant structural steel, mechanical structural steel, welding gas cylinder and pressure vessel steel, pipeline steel, etc

**Material:** Q195-Q460, SS330-540, 08KP-08YU, ST12-ST14, SPHC-E, etc

**Thickness:** 0.35 - 200 mm or as your request

**Width:** 1000 - 2500 mm or as your request

**Length:** 2000 - 12000 mm or as your request

**Minimum order quantity:** 5 Ton

## Carbon Steel coil 碳钢卷

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Category:** ordinary carbon structural coil alloy coil, excellent carbon coil, low alloy coil ship coil, bridge coil, boiler coil, container coil, etc



**Applications:** cold forming steel, structural steel, automotive structural steel, corrosion resistant structural steel, mechanical structural steel, welding gas cylinder and pressure vessel steel, pipeline steel, etc

**Material:** Q195-Q460, SS330-540, 08KP-08YU ST22-52, SPHC-E, etc

**Thickness:** 0.35- 26 mm or as your request

**Width:** 500 - 2000 mm or as your request

**Minimum order quantity:** 5 Ton



## Carbon Steel Cold Rolled Sheet 碳钢冷轧板

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** automotive, construction, building materials, electrical products, aviation, precision instruments and other industries

**Brand:** Q195-275, DC01-04, SPCC-E, ST12-15

**Processing technology:** stamping, laser cutting, punch-ing, bending

**Surface:** smooth, fine processing

**Specification:**

0.2 - 4 mm x 40 - 2000 mm or as your request

**Minimum order quantity:** 5 Ton

## Carbon Steel Cold Rolled Coil 碳钢冷轧卷

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** automotive, construction, building materials, electrical products aviation, precision instruments and other industries

**Brand:** Q195-275, DC01-04, SPCC-E, ST12-15

**Processing technology:** stamping, laser cutting, strip, punching, bending

**Surface:** smooth, fine processing


**Thickness:** 0.2- 4 mm or as your request

**Width:** 600 - 2000 mm or as your request

**Minimum order quantity:** 5 Ton







## Carbon Steel Pipe/Tube 碳钢管

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Category:** Carbon steel hot-rolled seamless pipe, carbon steel cold-drawn seamless pipe, carbon steel cold-rolled seamless pipe, carbon steel welded pipe, carbon steel spiral pipe

**Application:** fluid delivery pipe, boiler plant, engineering, mechanical processing plant. Widely used in construction, bridges, railways, vehicles, ships, petrochemical industry, marine development, etc. and various machinery manufacturing industries

**Material:** ASTM, A106A,B,C, aisi1045, aisi5140, aisi4118, aisi4130, aisiE4135, aisi4140, aisi1117

**Processing:** hot rolling, cold drawing, finish rolling, polishing

**Thickness:** 0.5 - 200 mm or as your request

**Outer diameter:** 6 - 900 mm or as your request

**Length:** 0.1 m - 12 m or as your request

**Minimum order quantity:** 5 Ton

## Carbon Steel Bar/Rod 碳钢棒

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** industrial raw materials bearings, cylinder block, etc. Widely used in construction, bridges, railways, vehicles, ships, petrochemical industry, marine development, etc. and various machinery manufacturing industries


**Material:** ASTM, A106A,B,C, aisi1045, aisi5140, aisi4118, aisi4130, aisiE4135, aisi4140, aisi1117, etc.

**Processing:** hot rolling, forging, cold drawn in

**Diameter:** 5 - 900 mm or as your request

**Length:** 0.1 m - 12 m or as your request

**Minimum order quantity:** 5 Ton



## Carbon steel Angle Bar 碳钢角钢

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Type:** equal and unequal

**Grade:** A36/SS400/Q195/Q215/Q235/Q235B/Q345B.

**Application:** Construction and machine structure pipe, building material tube, agriculture equipment, water and gas pipe, etc.

**Material:** 200/300/400/500/600/900 series etc

**Processing process:** stamping, laser, punching, bending

**Specification:** Equal angle: 20x20x3mm-200x200x24mm

Unequal angle: 25x16x3mm-200x25x18mm

or as your request

**Length:** 6m/9m/12m or as your request

**Minimum order quantity:** 5 Ton

## Carbon steel Channel Bar 碳钢槽钢

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Grade:** A36/SS400/Q195/Q215/Q235/Q235B/Q345B.

**Application:** Foodstuff, gas, metallurgy, biology, electron, chemical, petroleum, boilers, nuclear, energy, construction field, ships building industry, war and electricity industry, boiler heat exchange, machine and hardware fields and medical equipment, fertilizer, etc.

**Processing process:** Hot rolled or cold bending

**Thickness:** 1.0-8.0mm or as your request

**Height:** 80-300mm or as your request

**width:** 40mm-300mm or as your request



**Lip width:** 10-40mm or as your request

**Length:** 6m, 9m, 12m or as your request

**Minimum order quantity:** 5 Ton







## Carbon Steel I-beam 碳钢工字钢

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** Widely used in site construction, road construction, shipbuilding, bridge manufacturing, machinery industry, automobile industry

**Grade:** A36/SS400/Q195/Q215/Q235/Q235B/Q345B.

**Processing process:** Welding, Punching, Cutting, Bending, Decoiling

**Height:** 100-900mm or as your request

**Width:** 50-400mm or as your request

**Web thickness:**

5-30mm or according to the size ratio you need

**Flange thickness:**

7-40mm or according to the size ratio you need

**Length:** 2000-12000mm or as your request

## Carbon steel H-beam 碳钢H型钢

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** Beams, columns and load-bearing brackets in industrial and civil buildings; industrial equipment structures such as petrochemical and electric power; beam brackets for trains and automobiles, etc.

**Processing process:** Welding, Punching, Cutting, Bending.

**Surface Treatment:** 1, Bared; 2, Black painted (varnish coating); 3, Galvanized; 4, With oiled-covered

**Height:** 100-900mm or as your request

**Width:** 50-400mm or as your request

**Web thickness:**

5-30mm or according to the size ratio you need

**Flange thickness:**

7-40mm or according to the size ratio you need

**Length:** 2000-12000mm or as your request

**Minimum order quantity:** 5 Ton



## Color Coated Sheet 彩涂板

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** construction, decoration, household appliances, workshop, etc

**Surface colour:** RAL

**Purpose:** general use, mechanical biting, deep punching, super deep punching, structure, cold forming

**Coating structure:** 1/1.2/1, 2/2.2/1M

**Thickness:** 0.3 - 100 mm or as your request

**Width:** 10 - 2,000 mm or as your request

**Coating type:** PE, SMP, PVDF, PVP

**Surface condition:** coated sheet, embossed sheet, printed sheet.

**Minimum order quantity:** 5 Ton

## Color Coated Coils 彩涂卷

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** construction, decoration, household appliances, workshop, etc

**Surface colour:** RAL

**Purpose:** general use, mechanical biting, deep punching, super deep punching, structure, cold forming

**Coating structure:** 1/1.2/1, 2/2.2/1M

**Specification:**

0.2- 2.5 mm x 710 - 1500 mm or as your request

**Coating type:** PE, SMP, PVDF, PVP

**Surface condition:** coated sheet, embossed sheet, printed sheet.

**Minimum order quantity:** 5 Ton








## Galvanized Sheet 镀铝锌板

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel  
**Standard:** ASTM/AISI/GB/JIS/DIN/EN  
**Applications:** construction, home appliances, automobiles, heat exchangers, etc  
**Coating specification:** AZ20-275G  
**Purpose:** general use, mechanical biting, deep punching, super deep punching, structure, cold forming  
**Thickness:** 0.3 - 100 mm or as your request  
**Width:** 10 - 2,000 mm or as your request  
**Minimum order quantity:** 5 Ton

## Galvalume Coil 镀铝锌卷

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel  
**Standard:** ASTM/AISI/GB/JIS/DIN/EN  
**Applications:** construction, home appliances, automobiles, heat exchangers, etc  
**Coating specification:** AZ20-275G  
**Purpose:** general use, mechanical biting, deep punching, super deep punching, structure, cold forming  
**Specification:** 0.2 - 2.5 mm x 710 - 1500 mm or as your request  
**Minimum order quantity:** 5 Ton




## Galvanized Steel Plate/Sheet 镀锌板

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel  
**Standard:** ASTM/AISIGB/JIS/DIN/EN  
**Application:** coil door, drain pipe, ceiling bracket, car body, anti-shaped guardrail, blower, electrical equipment shell, office cabinet, carriage board, container, highway wall, ship bulk-head, etc  
**Zinc layer index:** Z30-275G  
**Surface:** L paint seal, C passivation, O oiled, L paint seal, P phosphating, U untreated, regular spangled, no spangle, small spangle, big spangle  
**Purpose:** general use, mechanical biting, deep punching, super deep punching, structure, cold forming  
**Thickness:** 0.3 - 100 mm or as your request  
**Width:** 10 - 2,000 mm or as your request  
**Minimum order/quantity:** 5 Ton

## Galvanized Steel Coil 镀锌卷

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel  
**Standard:** ASTM/AISIGB/JIS/DIN/EN  
**Application:** coil door, drain pipe, ceiling bracket, car body, anti-shaped guardrail, blower, electrical equipment shell, office cabinet, carriage board, container, highway wall, ship bulk-head, etc  
**Zinc layer index:** Z30-275G  
**Surface:** L paint seal, C passivation, O oiled, L paint seal, P phosphating, U untreated, regular spangled, no spangle, small spangle, big spangle  
**Specification:** 0.2 - 2.5 mm x 710 - 1500 mm or as your request  
**Minimum order quantity:** 5 Ton







## Galvanized Steel Strip 镀锌带

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISIGB/JIS/DIN/EN

**Application:** coil door, drain pipe, ceiling bracket, car body, anti-shaped guardrail, blower, electrical equipment shell, office cabinet, carriage board, container, highway wall, ship bulk-head, etc.

**Zinc layer index:** Z30-275G

**Surface:** L paint seal, C passivation, O oiled, L paint seal, P phosphating, U untreated, regular spangled, no spangle, small spangle, big spangle

**Thickness:** 0.3 - 100 mm or as your request

**Width:** 10 - 2,000 mm or as your request

**Minimum order/quantity:** 5 Ton

## Galvanized Steel Pipe/Tube 镀锌管

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** Pipes for pipes, pipes for thermal equipment, pipes for machinery industry, pipes for petroleum geological drilling, pipes for chemical industry, etc.

**Zinc layer index:** Z30-275G

**Surface:** L paint seal, C passivation, O oiled, L paint seal, P phosphating, U untreated, regular spangled, no spangle, small spangle, big spangle

**Outer Diameter:** 21.3mm-600mm or as your request

**Wall Thickness:** 0.6mm-30mm or as your request

**Length:** 0.1m-12m or as your request

**Minimum order/quantity:** 5 Ton



## Galvanized Square Tube 镀锌方管

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN

**Application:** Mainly used in curtain wall, construction, machinery manufacturing, steel construction projects, shipbuilding, solar power brackets, steel structure engineering, power engineering, power plants, agricultural and chemical machinery, glass curtain walls, automobile chassis, airports, etc.

**Zinc layer index:** Z30-275G

**Surface:** L paint seal, C passivation, O oiled, L paint seal, P phosphating, U untreated, regular spangled, no spangle, small spangle, big spangle

**Outer Diameter:** 21.3 mm - 600 mm; 10 x 10 - 500 mm x 500 mm; 20 x 10 mm - 500 mm x 400 mm or as your request

**Wall Thickness:** 0.6 mm - 30 mm or as your request

**Length:** 5.8 m - 12 m or as your request

**Minimum order/quantity:** 5 Ton



## Anti-corrosion Steel Pipe 防腐钢管

**Brand · Origin:** Tianjin, China · Kaishuo weiye Steel

**Standard:** ASTM/AISI/GB/JIS/DIN/EN


**Application:** Mainly used in pipeline engineering fields such as long-distance water transmission, petroleum, chemical industry, natural gas, heat, sewage treatment, water sources, bridges, steel structures, marine water transmission piling and other fields.

**Outer Diameter:** 21.3 mm - 3600 mm; 10 x 10 - 500 mm x 500 mm; 20 x 10 mm - 500 mm x 400 mm or as your request

**Wall Thickness:** 0.6 mm - 30 mm or as your request

**Length:** 5.8 m - 12 m or as your request

**Minimum order/quantity:** 5 Ton










天津凯硕伟业钢铁有限公司  
TIANJIN KAISHUOWEIYE STEEL CO.,LTD


## FACTORY & INVENTORY







## RODUCTION EQUIPMENT



## FACTORY & INVENTORY



## QUALITY CERTIFICATE







## PACKAGING ABILITY & SUPPLY DELIVERY

### 1. PACKING



### 2. LOADING



### 3. TRANSPORT




#### Port:

Qingdao, Shanghai, Tianjin

#### Lead Time :

7-15 days

### 4. DISCHARGE PORT



### 5. SHIPMENT



#### supply Ability:

5000 Tons per Month

#### Packaging Details:

As per customer requirement



## AQ

## FREQUENTLY ASKED QUESTIONS

### 1.What is your payment terms?

Kaishuo Steel prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable.Multiple payment terms are available from us.

### 2.Which payment method can you choose?

Kaishuo Steel accepts all types of secured payment methods. Bank transaction,Alibaba Trading Assurance,Paypal and etc are all available from us. Please feel free to contact us about your preferred payment method.

### 3.Is sample providing service available?

Kaishuo Steel provides free samples to our clients. We usually also cover the sample shipping cost. Please feel free to order a sample from us.

### 4.Is customization available?

Kaishuo Steel's expert equipment and highly-trained workers are capable of manufacturing highly customized products. Please feel free to discuss with us about your customized requirements,we can surely meet your needs.

### 5.What products and materials do you supply?

Kaishuo Steel mainly supplies all catalogs and all grades of steel and stainless steel products,Coils,strips, sheet, pipes, bars, beams, flanges and other customized products.Tin coating,Ti coating,galvanization and other surface treatments are also available.

Other than steel products,Kaishuo Steel also has high production capacity and holds large ready stock of all kinds of copper and aluminum products.

Please feel free to consult us about any related products above,we can surely meet your requirements.

### 6.Why should I choose you?

Tianjin Kaishuo Steel Industry company has deeply engaged in metal material market for over 22 years.We established perfect reputation world-widely.Craftsmanship spirit is the fundamental of Kaishuo Steel since we are established.Kaishuo Steel keeps our products as highest quality and lowest price to maintain our self competitive. Proving our clients with best trading experience is the goal we always insist of.

### 7.How can I make sure you are a reliable supplier?

Kaishuo Steel welcomes a company tour for you to check our factory status.